

Kern River No. 1 Hydroelectric Project FERC Project No. 1930

FERC Site Visit

August 1, 2023

Energy for What's Ahead[™]

Kern River No. 1 Hydroelectric Project Overview

FERC License

- FERC Project No. 1930
- Issued June 1998
- 30-year license term
- Expires May 31, 2028
- Total installed capacity is 26.3 megawatts (MW)
- Located on western slope of the Sierra Nevada in Kern County (approximately 15 miles east of City of Bakersfield)
- Project occupies federal lands within the Sequoia National Forest




Kern River No. 1 Hydroelectric Project Overview

Operations


- Run-of-River Operations
- Inflow controlled by USACE reservoir operations at Isabella Dam
- Amount and timing of diversions are a function of Lake Isabella releases, water rights, flowline and powerhouse capacities, and MIFs requirements
- Project diversion rights of up to 412 cfs
- Minimum instream flow (MIF) requirements:
 - June 1 September 30 50 cfs release or inflow, whichever is less
 - October 1 May 31 15 cfs release or inflow, whichever is less



Site Visit Route



Energy for What's Ahead[™]



Energy for What's Ahead[™]

Route Stop #1 Powerhouse



Route Stop #1

Powerhouse

- 4 impulse turbines
- Total installed capacity 26.3 MW
- Tailrace is impounded by Kern Canyon Project (FERC Project No. 178) diversion pool (non-Project facility)



Route Stop #1

Forebay

- 45-foot-long, 33-foot-wide, and 11-foot-deep concrete gravity structure that impounds water (less than 1 ac-ft) to regulate flow to the powerhouse.
- Water enters the forebay via Tunnel No. 19 and flows into the primary of two reinforced concrete bays.
- Primary bay contains the penstock intake that is fitted with a trashrack.
- Secondary bay serves as a spillway from primary bay, exiting via a 1,362-foot spillway overflow pipe, supported by concrete piers, that discharges into the Kern River.



Conveyance System

- 8.5 miles long
- Consists of sandbox, flumes, tunnels, adits, conduits, forebay, forebay overflow spillway, and penstock



Forebay Spillway Pipe

Flume

Covered Conduit

Kern River No. 1 Hydroelectric Project Facilities Route Stop #2

Democrat Dam

- Located 10.2 miles of upstream powerhouse
- 58-foot-high concrete overflow gravity dam
- Crest is 204 feet long and serves as spillway



Route Stop #2

Democrat Dam Impoundment

- 27 surface acres
- 247 acre-feet (af) gross storage capacity
- No usable storage
- Water diverted into intake structure with combined capacity of 412 cubic feet per second (cfs)



Route Stop #3 - Democrat Raft Take-Out



Other Project Facilities

- Project Access Roads 8 access roads (2.35 miles)
- Project Trails and 10 access trails (4.73 miles)
- Communication and Power Lines
- Gaging Stations
 - Kern River near Democrat Springs located 0.4 mile downstream of Democrat dam
 - Kern River No. 1 Conduit near Democrat Springs - located on flowline near Cow Flat Creek
 - Kern River near Democrat Springs + Conduit - data computed by combining the data collected in the bypass reach and the flowline (inflow)



Cow Flat Creek Gage

Contact Information

FERC

Jessica Fefer, Division of Hydropower Relicensing

(202) 502-6631

jessica.fefer@ferc.gov

FERC Online - eComment

Southern California Edison Company

David Moore, Relicensing Project Manager

(626) 302-9494

david.moore@sce.com

www.sce.com\kr1