Station to Distribution Circuit Mapping



The information provided by Atmospheric Data Solutions, LLC ("we," "us" or "our") herein (the "Report") is for general informational purposes only. All information in this Report is provided in good faith, however we make no representation or warranty of any kind, express or implied, regarding the accuracy, adequacy, validity, reliability, availability or completeness of any information in this report.

Under no circumstance shall we have any liability to you for any loss or damage of any kind incurred as a result of the use of this report or reliance on any information provided in this report. Your use of this report and your reliance on any information in this report is solely at your own risk.

Station to Distribution Circuit Mapping

There is enough information in the data provided to accomplish multiple analyses:

- 1) Determine the appropriate stations to represent circuit level winds.
- 2) Ascertain WRF's accuracy at each station location using the following statistics:
 - 1)Bias: Average difference between WRF and station observed winds.
 - 2)MAE: Mean Absolute Error.
 - 3) RMSE: Root Mean Square Error.
 - 4) Correlation: If WRF is well correlated, you can use forecasted trends to supplement real-time monitoring.
- 3) We have provided a list of circuits with no representative stations.

Procedures Used to Generate Data

Examined the closest 10 SCE stations and RAWS to each circuit. Stations **NOT** included in the report include the following:


- 1) Stations more than 10 miles from the circuit.
- 2) Stations that did not report observations within the past month (Beyond October 30, 2020 at 00Z).
- 3) Stations with less than 1 month of data.

For each station, we calculated the following:

- Wind speed and gust correlation between the station's closest WRF grid cell and circuit level WRF data:
 - Answers the question: From a modeling perspective, can this grid cell approximate circuit level winds?
 - · See station to circuit complete data file with columns: station circuit wind corr and station circuit gust corr.
- Wind speed and gust correlation between the station's closest WRF grid cell and observations.
 - Answers the questions:
 - Does WRF validate well at the station? Is there a station siting issue?
 - See station_to_circuit_complete_data file with columns: wrf_obs_wind_corr and wrf_obs_gust_corr.
- Bias, MAE, RMSE, mean correlation (Mean of 4 correlations discussed above).
- Minimum of 4 correlation statistics:
 - Answers the question: Does this station meet the standards to represent circuit level winds? Can be due to station siting issues or WRF issues.
 - If < 0.50 → Caution = YES (Of all stations within 10 miles, this station was found to best approximate circuit level winds.
 However, confidence is low: WRF validation problem, or stations are not representative of circuit level winds!)
 - If >= 0.50 → Caution = NO (Of all stations within 10 miles, this station was found to best approximate circuit level winds using the criteria and methods in this study.)

^{**}Statistics calculated from 3 hourly maximums. Both WRF and observations must report within the 3 hour period.

^{**}Done using latest Distribution circuit shapefiles valid: November 2020.



Example #1: SHOVEL

Examined the closest 10 stations to SHOVEL:

SCE-2241

SCE-2078

SCE-2797

SCE-2245

SCE-2710

SCE-2968


SCE-2089

SCE-2134

3CL-2134

SCE-2947


SCE-2706



^{**}Proximity determined using station closest WRF grid cell and WRF grid cell circuit mask.

1	circuit_name	stnid	stnname	distance (mi)	station_circuit_wind_corr	station_circuit_gust_corr	sample_size	wrf_obs_wind_corr v	vrf_obs_gust_corr v	vrf_obs_wind_p_value	wrf_obs_gust_p_value	wind_bias	gust_bias	wind_MAE	gust_MAE w	ind_RMSE gus	_RMSE n	nean_corr m	nin_corr caution
8498	SHOVEL	SCE-2241	SCE Red Rover Mine	0.5	0.92	0.91	4607	0.73	0.81	0	0	3.06	1.65	3.54	3.85	4.29	5.04	0.84	0.73 No
8499	SHOVEL	SCE-2078	SCE Antelope Valley Fwy	0.12	0.8	0.8	6287	0.8	0.84	0	0	0.34	-0.93	2.07	3.48	2.79	4.61	0.81	0.8 No
8500	SHOVEL	SCE-2797	SCE Sacramento Ave	0.7	0.74	0.74	1308	0.84	0.89	0	0	-0.66	-1.88	2.22	3.18	2.82	4.14	8.0	0.74 No
8501	SHOVEL	SCE-2245	SCE Acton	0.57	0.79	0.79	4605	0.77	0.82	0	0	-0.54	-1.07	2.29	3.43	2.94	4.56	0.79	0.77 No
8502	SHOVEL	SCE-2710	SCE Country Breeze Ln	1.24	0.78	0.78	1494	0.75	0.84	0	0	0.06	-1.1	1.9	3.13	2.55	4.12	0.79	0.75 No
8503	SHOVEL	SCE-2968	SCE Agua Dulce Canyon Rd	0.65	0.72	0.72	327	0.8	0.87	0	0	0.9	-0.23	2.06	2.7	2.56	3.66	0.78	0.72 No
8504	SHOVEL	SCE-2089	SCE Sierra Pelona	0.61	0.9	0.9	6287	0.58	0.69	0	0	-4.28	-5.04	5.5	6.87	7.15	8.6	0.77	0.58 No
8505	SHOVEL	SCE-2134	SCE Letteau Canyon	1.63	0.8	0.8	3186	0.71	0.79	0	0	1.52	0.79	3.01	4.56	4.35	6.35	0.77	0.71 No
8506	SHOVEL	SCE-2947	SCE Mesa Grande Rd	1.27	0.7	0.7	326	0.77	0.87	0	0	-1.91	-2.96	3.45	4.3	4.27	5.48	0.76	0.7 No
8507	SHOVEL	SCE-2706	SCE Lewis Hill Dr	1.25	0.71	0.71	1494	0.71	0.85	0	0	0.14	-0.81	2.01	2.88	2.75	3.84	0.74	0.71 No


Closest stations to SHOVEL sorted in descending order by mean correlation. See file: station_to_circuit_complete_data



1	circuit_name	stnid	stnname	distance (mi)	station_circuit_wind_corr	station_circuit_gust_corr s	ample_size	wrf_obs_wind_corr	wrf_obs_gust_corr	wrf_obs_wind_p_value	wrf_obs_gust_p_value	wind_bias	gust_bias	wind_MAE g	just_MAE v	ind_RMSE gust	_RMSE mean	_corr m	in_corr caution
8498	SHOVEL	SCE-2241	SCE Red Rover Mine	0.5	0.92	0.91	4607	0.73	0.81	0	0	3.06	1.65	3.54	3.85	4.29	5.04	0.84	0.73 No
8499	SHOVEL	SCE-2078	SCE Antelope Valley Fwy	0.12	0.8	0.8	6287	0.8	0.84	0	0	0.34	-0.93	2.07	3.48	2.79	4.61	0.81	0.8 No
8500	SHOVEL	SCE-2797	SCE Sacramento Ave	0.7	0.74	0.74	1308	0.84	0.89	0	0	-0.66	-1.88	2.22	3.18	2.82	4.14	8.0	0.74 No
8501	SHOVEL	SCE-2245	SCE Acton	0.57	0.79	0.79	4605	0.77	0.82	0	0	-0.54	-1.07	2.29	3.43	2.94	4.56	0.79	0.77 No
8502	SHOVEL	SCE-2710	SCE Country Breeze Ln	1.24	0.78	0.78	1494	0.75	0.84	0	0	0.06	-1.1	1.9	3.13	2.55	4.12	0.79	0.75 No
8503	SHOVEL	SCE-2968	SCE Agua Dulce Canyon Rd	0.65	0.72	0.72	327	0.8	0.87	0	0	0.9	-0.23	2.06	2.7	2.56	3.66	0.78	0.72 No
8504	SHOVEL	SCE-2089	SCE Sierra Pelona	0.61	0.9	0.9	6287	0.58	0.69	0	0	-4.28	-5.04	5.5	6.87	7.15	8.6	0.77	0.58 No
8505	SHOVEL	SCE-2134	SCE Letteau Canyon	1.63	0.8	0.8	3186	0.71	0.79	0	0	1.52	0.79	3.01	4.56	4.35	6.35	0.77	0.71 No
8506	SHOVEL	SCE-2947	SCE Mesa Grande Rd	1.27	0.7	0.7	326	0.77	0.87	0	0	-1.91	-2.96	3.45	4.3	4.27	5.48	0.76	0.7 No
8507	SHOVEL	SCE-2706	SCE Lewis Hill Dr	1.25	0.71	0.71	1494	0.71	0.85	0	0	0.14	-0.81	2.01	2.88	2.75	3.84	0.74	0.71 No

Sierra Pelona is the worst among the 10 closest stations to represent SHOVEL circuit level winds:

- WRF does not validate well at that location:
- WRF is typically slower (-4.28MPH/-5.04MPH wind speed/gust bias) with the largest MAE and RMSE values.
- This is consistent with our previous reports regarding the WRF at the Sierra Pelona station.



Example #1: SHOVEL circuit

1784	SHOVEL	SCE-2241	SCE Red Rover Mine	0.73	0.81	3.06	1.65 No
1785	SHOVEL	SCE-2078	SCE Antelope Valley Fwy	0.8	0.84	0.34	-0.93 No

SHOVEL top 2 closest stations sorted in descending order. See file: recommended_stations_for_distribution_hfa

The 2 top ranked stations for the SHOVEL circuit are:

SCE-2241: The closest WRF gridcell statistics:

Wind speed correlation: 0.73 Wind gust correlation: 0.81 Wind speed bias: 3.06 MPH Wind gust bias: 1.65 MPH

Caution: No (This station can be used to approximate circuit conditions).

SCE-2078: The closest WRF grid cell statistics:

Wind speed correlation: 0.80 Wind gust correlation: 0.84 Wind speed bias: 0.34 MPH Wind gust bias: -0.93 MPH

Caution: No (This station can be used to approximate circuit conditions).

Example #2: SAND CANYON

Examined the closest 10 stations to SAND CANYON:

SCE-2390

SCE-3095

SCE-2687

SCE-2012

SCE-2947

SCE-2061

SCE-2681

SCE-3024

CCE 2027

SCE-2667


SCE-3072



^{**}Proximity determined using station closest WRF grid cell and WRF grid cell circuit mask.

1 circuit_name stnid stnname	distance (mi)	station_circuit_wind_corr	station_circuit_gust_corr	sample_size	wrf_obs_wind_corr	wrf_obs_gust_corr	wrf_obs_wind_p_value	wrf_obs_gust_p_value	wind_bias	gust_bias	wind_MAE gu	ıst_MAE w	rind_RMSE	gust_RMSE	mean_corr	min_corr caution
8128 SAND CANYON SCE-2390 SCE Soledad Canyon Rd	0.36	0.93	0.89	4210	0.79	0.82	0	0	-0.97	-2.55	2.16	4	2.7	4.95	0.86	0.79 No
8129 SAND CANYON SCE-3095 SCE Magic Mountain	0.57	0.94	0.92	279	0.73	0.82	0	0	-1.54	-4.41	3.3	5.82	3.93	6.84	0.85	0.73 No
8130 SAND CANYON SCE-2687 SCE Magic Mtn Truck Trail	0.09	0.87	0.93	1518	0.74	0.81	0	0	-9.02	-9.06	9.11	9.32	10.74	10.88	0.84	0.74 No
8131 SAND CANYON SCE-2012 SCE Vasquez Canyon Rd	0.23	0.9	0.87	7237	0.73	0.81	0	0	0.85	-0.49	2.2	3.28	2.98	4.38	0.83	0.73 No
8132 SAND CANYON SCE-2947 SCE Mesa Grande Rd	0.32	0.86	0.83	326	0.77	0.87	0	0	-1.91	-2.96	3.45	4.3	4.27	5.48	0.83	0.77 No
8133 SAND CANYON SCE-2061 SCE Oak Spring Canyon	0.6	0.93	0.89	6718	0.72	0.76	0	0	-0.88	-1.45	2.35	4.56	3.01	5.88	0.82	0.72 No
8134 SAND CANYON SCE-2681 SCE Arline St	0.58	0.9	0.87	1534	0.71	0.8	0	0	0.89	-0.28	1.89	2.87	2.53	3.87	0.82	0.71 No
8135 SAND CANYON SCE-3024 SCE Jakes Way	0.66	0.89	0.86	846	0.72	0.8	0	0	-1.13	-1.91	2.33	3.6	2.93	4.56	0.82	0.72 No
8136 SAND CANYON SCE-2667 SCE Soledad Canyon Ranch	0.56	0.84	0.79	1519	0.7	0.86	0	0	-0.84	-0.88	2.04	2.58	2.47	3.37	8.0	0.7 No
8137 SAND CANYON SCE-3072 SCE MAC HIII	0.5	0.93	0.89	454	0.55	0.64	0	0	-0.97	-1.85	2.77	5.53	3.61	7.08	0.75	0.55 No

Closest stations to SAND CANYON sorted in descending order by mean correlation. See file: station_to_circuit_complete_data





1 circuit_name stnid stnname	distance (mi)	station_circuit_wind_corr	station_circuit_gust_corr s	ample_size	wrf_obs_wind_corr	wrf_obs_gust_corr \	wrf_obs_wind_p_value	wrf_obs_gust_p_value v	vind_bias g	gust_bias v	vind_MAE gu	st_MAE w	rind_RMSE g	just_RMSE m	nean_corr r	nin_corr caution
8128 SAND CANYON SCE-2390 SCE Soledad Canyon Rd	0.36	0.93	0.89	4210	0.79	0.82	0	0	-0.97	-2.55	2.16	4	2.7	4.95	0.86	0.79 No
8129 SAND CANYON SCE-3095 SCE Magic Mountain	0.57	0.94	0.92	279	0.73	0.82	0	0	-1.54	-4.41	3.3	5.82	3.93	6.84	0.85	0.73 No
8130 SAND CANYON SCE-2687 SCE Magic Mtn Truck Trail	0.09	0.87	0.93	1518	0.74	0.81	0	0	-9.02	-9.06	9.11	9.32	10.74	10.88	0.84	0.74 No
8131 SAND CANYON SCE-2012 SCE Vasquez Canyon Rd	0.23	0.9	0.87	7237	0.73	0.81	0	0	0.85	-0.49	2.2	3.28	2.98	4.38	0.83	0.73 No
8132 SAND CANYON SCE-2947 SCE Mesa Grande Rd	0.32	0.86	0.83	326	0.77	0.87	0	0	-1.91	-2.96	3.45	4.3	4.27	5.48	0.83	0.77 No
8133 SAND CANYON SCE-2061 SCE Oak Spring Canyon	0.6	0.93	0.89	6718	0.72	0.76	0	0	-0.88	-1.45	2.35	4.56	3.01	5.88	0.82	0.72 No
8134 SAND CANYON SCE-2681 SCE Arline St	0.58	0.9	0.87	1534	0.71	0.8	0	0	0.89	-0.28	1.89	2.87	2.53	3.87	0.82	0.71 No
8135 SAND CANYON SCE-3024 SCE Jakes Way	0.66	0.89	0.86	846	0.72	0.8	0	0	-1.13	-1.91	2.33	3.6	2.93	4.56	0.82	0.72 No
8136 SAND CANYON SCE-2667 SCE Soledad Canyon Ranch	0.56	0.84	0.79	1519	0.7	0.86	0	0	-0.84	-0.88	2.04	2.58	2.47	3.37	0.8	0.7 No
8137 SAND CANYON SCE-3072 SCE MAC HIII	0.5	0.93	0.89	454	0.55	0.64	0	0	-0.97	-1.85	2.77	5.53	3.61	7.08	0.75	0.55 No

Closest stations to SAND CANYON sorted in descending order by mean correlation. See file: station to circuit complete data

Although correlated well, Magic Mtn Truck Trail has the worst WRF validation statistics among the 10 closest stations:

- WRF is typically slower (-9.02MPH/-9.06MPH wind speed/gust bias) with the largest MAE and RMSE values.
- This is consistent with our previous reports regarding the WRF at the Magic Mtn Truck Trail station.
- Due to relatively high correlations, this station could be used assuming the bias is accounted for.





SAND CANYON top 2 closest stations sorted in descending order. See file: recommended_stations_for_distribution_hfa

The 2 top ranked stations for the SAND CANYON circuit are:

SCE-2390: The closest WRF gridcell statistics:

Wind speed correlation: 0.79 Wind gust correlation: 0.82 Wind speed bias: -0.97 MPH Wind gust bias: -2.55 MPH

Caution: No (This station can be used to approximate circuit conditions).

SCE-3095: The closest WRF grid cell statistics:

Wind speed correlation: 0.73 Wind gust correlation: 0.82 Wind speed bias: -1.54 MPH Wind gust bias: -4.41 MPH

Caution: No (This station can be used to approximate circuit conditions).